

			MORA	MORA
Features	1MANUFACTURER	Initials	EP 50 RA	EP 60 RA
	2Model	Type		
	3Capacity	Q. Rated capacity	5000	6000
	4Load center	C distance	600	600
	5Power type	Electric (battery)-diesel-petrol-LPG	Electric	Electric
	6Control type	Hand-pedestrian-stand-sit	Sit	Sit
	7Tyre equipment	V-Solid P-Pneumatic front/rear	S/S	S/S
	8Wheels (x driven)	Front/rear	2x/2 (4x/2)	2x/2 (4x/2)
Dimensions	9Lift	Lift height	3200	3200
	10Duplex mast	h2 normal free lift	-	-
	11	h5 special free lift	-	-
	12Fork head	norm DIN 15173 A/B/no	4A	4A
	13Forks	Length-width-thickness	1200x150x60	1200x150x60
	14Tilt angle	forward/backward	6/9	6/9
	15Overall dimensions	L2 length to face of forks	3080	3080
	16	B width	1500 (1830)	1500 (1830)
	17	h1 Height, upright lowered	2570	2570
	18	h4 Height, upright extended	4170	4170
	19	h6 overhead guard height	2440	2440
	20	h7 seat height	1400	1400
	21Turning radius	Wa	2780	2780
	22Load distance	x from centre of front axle	595	595
	23Aisle cu 90°	Ast3 with st. forks	2850	2850
24Aisle	Ast4 with st. forks	4775	4775	
Performan	25Speeds	Travel speed loading/unloading	11/13	11/13
	26	Lift speed loading/unloading	0,25	0,25
	27	Lowering speed loading/unloading	0,4	0,4
	28Drawbar pull	Loading/Unloading	1000/1150	1000/1100
	29Max drawbar pull	Loading/Unloading (electric 5 min.)	2300/2500	2400
	30Gradeability	Loading/Unloading	8/15	6/12
	31Max.gradeability	Loading/Unloading (electric 5 min.)	8/15	8/12
Wt	32Total weight empty	With battery	9400	10100
	33Axle loading	Unloading front/rear	5400/4000	5400/4700
	34	Loading front/rear	13180/1220	14740/1360
	35	Number front/rear	2/2 (4/2)	2/2 (4/2)
Frame	36Tyres	Front sizes	350-15 (8.25-15)	350-15 (8.25-15)
	37	Rear sizes	23x9-10	23x9-10
	38Wheelbase	y	2150	2150
	39Tread	Centre of tyres front/rear	1160/1080	1160/1080
	40Ground clearance	Loading at lowest point	170	170
	41	Loading centre of wheelbase	150	150
	42Brakes	Foot/Parking	Pedal/Elect.	Pedal/Elect.
	43	Mech.,hydraulik,elec.,pneum.	Hydraulic	Hydraulic
Power unit transmission	44	Type	Traction	Traction
	45Battery	Volt/Amp/hrs	80/1120	80/1120
	46	Weight	2510	2510
	47	Side-shift/power	18	18
	48Electric motors	Hoist/power	18	18
	49	Hoist/power	-	-
	50	Make model	-	-
	51	Output DIN 70020	-	-
	52Internal Combustion	Number of revol. DIN 70020	-	-
	53	Stroke/No. of cylinders/Displ.	-	-
	54	Fuel consumption	-	-
	55Clutch	Type	-	-
56Gear change	Type	Forw.\Back.	Forw.\Back.	
57	Number of speeds forw./rev..	El. Var.	El. Var.	
58Transmission	Type	Differential	Differential	
59Working pressure	For attachments	175	185	